



股票代码：839181



电线电缆价格书

2017年第10版

世界看中国
电缆看思柏

S I M P A C T

广东思柏科技股份有限公司

www.simpact.com.cn



广东思柏科技股份有限公司
Guangdong Simpack Technology Corp.

Add：广东省广州市花都区花山镇华侨科技工业园
Tel：86-20-3770 0888 Fax：86-20-8620 7892
服务热线：4008-840-988
E-mail：info@simpact.com.cn





获得国家高新技术企业



公司产品获得2015年
广东省名牌产品

国家高新技术企业
广东省名牌产品
广州市著名商标

更安全的家、更安心的城
更有爱的守护

Simpact



董事长寄语

Wishes from the chairman of the board

目录

Contents



01~02 —— Enterprise profile 企业简介

03~04 —— Product introduction 产品介绍

05~20 —— Product price 产品价格

21~22 —— Engineering cases 工程案例

从线的此端到彼端

需要责任

更需要安全、稳定、快速、美好

生产，不是使命的完结

到达，仅仅是一个开始

这一切精益求精的品质

是思柏一直在兢兢业业践行的基准线

有线，世界万物互联

思柏，无限联动世界

Responsibility as well as safety, stability, speediness and fineness are needed from the beginning to the end of the production line.

Production doesn't only mean to finish the mission.

Arrival is also another beginning.

Making perfection more perfect is always a principle line for the cautious and conscientious work in Simpa.

With lines, the whole world are connected. Unlimited.

Simpa links up the whole world



诚信开拓，合力共赢

广东思柏科技股份有限公司创建于2011年，是2016年广东省首批高新技术企业。企业实收注册资本为壹亿零贰万零肆佰捌拾元，2016年4月份完成股份制改造，9月7日成功挂牌新三板，证券简称：思柏科技，股票代码：839181。

是一家集研发、生产、销售于一体的光纤光缆、通信电缆、特种光电缆、光器件和机电通信设备、移动通信设备、电力电缆的专业生产企业。

拥有现代工业化的生产基地、先进的电线电缆专用制造和检测设备，一批高素质的生产管理人员及熟练的生产技术骨干，具有雄厚的技术力量，超强的生产和供货能力。

广东思柏科技股份有限公司广泛应用于全国城乡电网改造、电力工程、输配变电系统、通过长期运行，以质量稳定、性能安全和一流售前、售后服务，赢得了广大用户好评与信赖。

Loyal Development, Win-Win Cooperation

Guangdong Simpact Technology Corp. founded on 2011 is the 1st batch of high-tech enterprise in Guangdong Province of 2016. Company registered capital is One Hundred Million and Twenty Thousand Four Hundred and Eighty. On April 2016 Simpact finished share reformation and successfully listed on New Three Board stock market on September 7 with SIMPACT TECHNOLOGY and stock No.: 839181. Simpact specializes in the manufacturing, marketing and R&D of high quality and cost competitive Optical Fiber Cable, Telecommunication Cable, LAN Cable, Special Cable, Optical Fiber Accessories, Telecommunication Devices and Mobile Telecommunication Equipments and Power Cable.

Modern industrial production base, professional production lines and test equipment for power cable, high-reputation production management and technology staffs, strong production capacity and delivery ability.

Broadly applies to national urban and rural power grids upgrading, power projects, power transmission and distribution system, to gain honor and trust from clients with stable quality, safe performance and top level sales and after-sales service.

强电介绍

Introduction of High Voltage

经历了中国制造到中国智造的转型，思柏，唯一不变的是工匠精神：以诚信打造诚品，以品质成就品牌。

思柏电线电缆应用于全国城乡电网改造、电力工程、输配变电系统、以质量稳定、性能安全和一流售前、售后服务，赢得了广大用户好评与信赖。

秉承“诚信开拓 合力共赢”的先进理念，以“更安全的家，更安心的城，更有爱的守护”为服务宗旨。在激烈的市场竞争中不断开拓创新，携手社会各界及广大用户共创辉煌，为国家电力事业做贡献！



Transform from Made in China to Smart Made in China, the only invariability of Simpect is to produce based on sincerity, brand based on quality.

Simpect Cable applies to national urban and rural power grids upgrading, power projects, power transmission and distribution system, to gain honor and trust from clients with stable quality, safe performance and top level sales and after-sales service.

Persevere in "Brand is the power of competition" as advanced concept, "safer home, safer city, love for protection" as service target, to continuously improve and develop during the fierce market competition, to cooperate with clients and the society to contribute for national electric business!



WDZC-YJY 4X240+1x120



NH-YJV22 -3X95+2x50




BTTZ 3X95+1X50



BTLY 4X70+1x35



BTLY 5X16



YTTWY 3X150+1X70



报价表

Quotation sheet

塑料固定敷设用电线

单位：元 / 公里

规格mm ²	型号	BV	BVV		BVR	BVVB
			一芯	二芯		
0.75		807	922	2372	858	2035
1		1022	1187	2815	1086	2677
1.5		1489	1691	3903	1570	3280
2.5		2271	2675	5856	2520	4591
4		3664	4101	8852	3989	7576
6		5484	5931	12672	5922	11673
10		9075	9692		9927	16117
16		14668	15353		15575	
25		22500	23977		24127	
35		31497	32930		33576	
50		42184	44208		44947	
70		61441	63570		66933	
95		83895	85759		90606	
120		107157	108827		115729	
150		132682	135514		143297	
185		163380	166769		176451	
240		216534	219896		233857	
300		268341	272382		289808	

备注

- 1、阻燃电线电缆C类按现价加2%，A类电线、控制线按现价加8%，A类电缆按现价加5%
- 2、双色线按现价加1%，不足百米常规线按现价加3%，不足百米矿物绝缘电缆按现价加5%，7芯电线按单支普通电线同等截面现价加3%。
- 3、温水硅烷交联型（YJV）电线电缆按同等截面普通电线电缆现价加2%；防白、防鼠（FY、FS）电线、电缆按现价各加2%；辐照型（FYJV）系列产品按同等截面交联（YJV）电线电缆0.75mm²-6mm²按现价加3%。10mm及以上按现价加2%。
- 4、软导体结构（R）系列产品按同等截面普通电线电缆现价加8%；普通低烟无卤电线电缆按同等截面普通电线电缆0.75mm²-6mm²按现价加10%。10mm²-96mm²按现价加8%。120及以上按现价加5%。KVVP22按KVVP2-22同等截面现价加10%。

塑料固定敷设用耐火电线

单位：元 / 公里

规格mm ²	型号	N-BV	N-BVV		N-BVR
			一芯	二芯	
0.75		1459	1596	3820	1572
1		1784	2012	4025	1875
1.5		2466	2733	5563	2553
2.5		3591	3896	8026	3773
4		5552	5951	11959	5848
6		7433	7832	15630	7773
10		10980	11587		12175
16		16968	17749		17487
25		26043	27178		27093
35		35729	37339		37340
50		47671	49480		51084
70		69190	70933		75785
95		95120	97231		102729
120		120305	122167		129930
150		148618	151787		160507
185		181182	184932		195677
240		237482	241178		256481
300		287046	296675		310010

5、110kV-500kV超高压交联电力电缆由公司统一报价。

6、本公司可生产：铝合金电缆、计算机电缆、高温电缆、仪表电缆、电梯电缆、补偿导线、变频电缆、硅橡胶电力电缆、钢丝铠装电缆、铜丝屏蔽等电缆，价格另议。

7、所有产品全部按国标生产，质量实行“三包”。

8、本价格书自2017年11月1日起执行，解释权归本公司所有，本公司有权根据材料价格变动情况和市场情况对本价格书进行修订。

报价表

Quotation sheet

450/750V

铜芯聚氯乙烯绝缘铜丝编织屏蔽控制电缆 (型号: KVVP)

单位: 元 / 公里

截面	二芯	三芯	四芯	五芯	七芯	八芯	十芯	十二芯	十四芯	十六芯	十九芯	二十四芯	二十七芯	三十芯	三十七芯
1	5629	6891	8537	9761	12148	14165	18693	21006	23518	26103	29701	37274	40602	44153	52404
1.5	7089	8882	10812	12866	16788	20177	25174	30502	35433	40206	48192	55508	56881	63989	80579
2.5	9847	12656	17493	20796	26363	29629	36495	42408	48025	53728	61905	79868	87674	95876	120966
4	13460	18915	23456	28021	36859	42184	52039	60614	69012						
6	18903	24928	32187	39190	51673	59653	73566	85946	98141						
10	31249	40305	51259	63333	84486	99557	123160								

450/750V

屏蔽控制电缆、屏蔽铠装控制电缆

单位: 元 / 公里

型号	截面	三芯	四芯	五芯	六芯	七芯	八芯	十芯	十二芯	十四芯	十九芯	二十四芯	三十芯	三十七芯
KVVP ₂	1	5972	8373	9174	10276	11064	12349	15986	19647	20672	28625	34872	43640	50634
	1.5	8085	10145	11931	13400	14634	17785	24793	30475	35201	47944	55373	63142	79495
	2.5	10527	13627	16723	19410	22496	25696	33047	37353	43809	55963	77764	94575	120602
	4	15629	20080	24085	28814	32548	40042	51659	58837	68641				
	6	23034	28901	35292	41159	46724	53667	69468						
	10	38166	48981	59375	69337	79260	93709	121127						

型号	截面	三芯	四芯	五芯	六芯	七芯	八芯	十芯	十二芯	十四芯	十九芯	二十四芯	三十芯	三十七芯
KVVP ₂₋₂₂	1	8164	10631	12376	14201	15460	17272	22036	24989	28099	35751	44242	53942	64363
	1.5	10697	13925	16419	18978	20868	24333	28007	34071	38560	49755	62708	75532	90769
	2.5	14410	18741	23282	26905	29832	33572	37444	47721	54402	71909	89613	108842	131560
	4	18637	24241	29203	34020	38140	43075	53994	62814	71949				
	6	25343	32969	40042	46907	52958	60754	75125	87974	101151				
	10	43980	57210	69245	80939	91097	103828	129133	150774	173112				

450/750V

铜芯聚氯乙烯绝缘铜丝编织屏蔽耐火控制电缆 (型号: N-KVVP)

单位: 元 / 公里

截面	二芯	三芯	四芯	五芯	七芯	八芯	十芯	十二芯	十四芯	十六芯	十九芯	二十四芯	二十七芯	三十芯	三十七芯
1	9612	11044	14276	15543	19494	22398	29405	32931	36206	40768	46989	58452	65758	70407	82984
1.5	11733	13516	17516	20897	26561	32038	41410	48803	56587	64422	76992	88757	99852	101984	128418
2.5	16480	19451	27311	31626	40205	45386	57574	65331	74745	84151	96088	126769	142615	152777	193394
4	21716	27798	35674	41999	56254	65797	83438	92154	107165						
6	28956	36323	46036	55793	74080	84803	108981	127362	146314						
10	49449	59359	75751	91241	124123	146518	189974								

450/750V

屏蔽耐火控制电缆、屏蔽耐火铠装控制电缆

单位: 元 / 公里

型号	截面	三芯	四芯	五芯	六芯	七芯	八芯	十芯	十二芯	十四芯	十九芯	二十四芯	三十芯	三十七芯
NH-KVVP ₂	1	10034	14096	14898	16985	18301	20401	26427	31436	33076	45802	55809	69643	81036
	1.5	12639	16782	19868	22156	24192	29406	40991	48773	56331	76720	88608	101053	127225
	2.5	17109	23059	27145	31518	35952	41060	53782	59770	70108	89552	124455	151346	192994
	4	24184	31961	37669	45992	52307	64352	83020	91506	106757				
	6	3425	43453	53163	62836	71342	81933	106061						
	10	57876	75413	90831	108128	123635	146285	189079						

型号	截面	三芯	四芯	五芯	六芯	七芯	八芯	十芯	十二芯	十四芯	十九芯	二十四芯	三十芯	三十七芯
NH-KVVP ₂₋₂₂	1	12444	16579	18420	21301	23136	25816	33082	37311	41245	53640	66116	81175	96138
	1.5	15512	20940	24804	28292	31049	36609	44526	52729	60026	78711	96676	114681	139627
	2.5	21380	28686	34361	39762	44022	49724	58619	71174	81761	107093	137489	167040	205046
	4	27492	36538	43299	51718	58458	67688	85588	95881	110396				
	6	36779	47927	58389	69160	78200	89728	112282	132346	152769				
	10	64272	84465	101688	120890	136657	157414	197887	228212	263178				

报价表

Quotation sheet

450/750V

全塑控制电缆、铠装控制电缆

单位：元 / 公里

型号	截面	三芯	四芯	五芯	六芯	七芯	八芯	十芯	十二芯	十四芯	十九芯	二十四芯	三十芯	三十七芯
KVV	1	4620	6498	7129	7977	8584	9590	12402	15252	16052	22223	27072	33873	40104
	1.5	5880	7493	8984	10414	11587	13809	19240	23654	27327	37220	42991	49028	61722
	2.5	8545	11005	13636	16023	18840	21711	26959	31900	36728	49969	62792	77827	95503
	4	13118	16821	21218	24630	28868	32985	41314	49388	57081				
	6	18524	24905	30888	35868	42168	48443	60520						
KVV22	1	6535	8413	9614	11554	12330	13421	16792	19628	20926	27097	31946	38747	44191
	1.5	7771	10766	12488	14791	15748	18198	23629	28042	32201	42094	47864	53902	66596
	2.5	11518	14403	16852	19786	21362	24249	31743	35058	40436	53144	67207	82209	101461
	4	16367	19507	23364	27305	31358	36093	45294	52510	60421				
	6	21326	27021	33136	38898	45102	51571	64145	75933	87310				

450/750V

耐火控制电缆、耐火铠装控制电缆

单位：元 / 公里

型号	截面	三芯	四芯	五芯	六芯	七芯	八芯	十芯	十二芯	十四芯	十九芯	二十四芯	三十芯	三十七芯
N-KVV	1	7769	10939	11498	13141	14157	15787	20441	24182	25448	35236	42936	53727	62353
	1.5	9286	12604	15114	17156	18719	22758	31711	37518	43336	59021	68170	77752	97886
	2.5	13404	18126	21194	24639	27161	31016	42275	45984	53933	68899	95753	116434	148477
	4	19473	25148	30176	35315	40778	50174	64719	70942	82773				
	6	26254	34097	41638	48554	55123	63311	81968						
N-KVV22	1	10929	13985	15011	16403	18365	19997	24605	28393	29659	40392	48093	58873	67497
	1.5	12080	16243	18502	20385	22906	26898	35773	41740	47545	64177	74448	82896	103029
	2.5	16666	21513	24548	27800	31267	35088	46256	50203	58143	74056	100898	121590	153632
	4	22031	28243	33225	38309	44677	53982	68406	75065	86907				
	6	29449	37404	44944	51860	59380	67567	86213						

1KV全塑电力电缆（铠装）

注：单芯钢带（钢丝）铠装电缆不适用于交流系统

单位：元 / 公里

截面	一芯		二芯		三芯		四芯		五芯		三加一芯		
	VV	VV62	VV	VV22	VV	VV22	VV	VV22	VV	VV22	规格	VV	VV22
1.5	1995	4511	4751	6859	6285	8412	8140	10536	9872	12508			
2.5	2953	5747	7007	9210	9068	11943	12285	14849	14957	17967	3*2.5+1*1.5	11468	13749
4	4474	7619	9872	12699	14425	17089	17777	21496	22008	25732	3*4+1*2.5	17270	19712
6	6394	9952	13621	17086	19472	23109	25831	29604	31460	34998	3*6+1*4	23530	27687
10	9985	15536	21466	26362	30881	35296	40728	45775	50060	55458	3*10+1*6	36661	40194
16	15515	21279	31968	37081	46432	50939	61367	66722	76369	81376	3*16+1*6	52114	57026
25	23957	30368	48822	53280	71577	75671	94802	98903	117767	121963	3*25+1*10	81035	86463
35	32551	38769	67001	7145	98559	102422	130431	135057	162334	168712	3*35+1*10	107829	111205
50	43935	51004	88185	95201	130947	137884	173040	180924	218276	227612	3*50+1*16	145992	155574
70	63736	72029	128775	135130	190121	202069	253522	262231	316837	326731	3*70+1*25	212724	222141
95	85963	95177	173036	181994	258133	267858	342792	353053	429415	440707	3*95+1*35	295181	309339
120	107832	122275	216657	227274	326993	335416	430756	444600	541615	555142	3*120+1*35	357139	369208
150	134381	148313	274194	282882	402954	419203	539009	551079	675942	687122	3*150+1*50	457540	473446
185	166973	182452	334313	346430	508065	518018	679738	693189	843527	860599	3*185+1*50	543593	558978
240	221896	239136	440308	451291	653198	664623	871995	887625	1091343	1124025	3*240+1*70	717497	735194
300	272696	293301	545392	569015	812877	830551	1087711	1105280	1362440	1397582	3*300+1*95	902323	922249
400	356196	380636	712392	725021	1048066	1065512	1401146	1431474	1757785	1795543	3*400+1*150	1188313	1205840
500	445684	481842	891367	917795	1341075	1373737	1786829	1826224	2239096	2279448			
630	566212	604539	1132425	1151503	1698806	1743119	2247680	2298797	2810828	2853531			

产品规格齐备、生产技术先进、配套能力完善的研发制造基地。

Abundant product range, advanced production technology and superior R&D production base.

报价表

Quotation sheet

1KV全塑电力电缆（铠装）

注：单芯钢带（钢丝）铠装电缆不适用于交流系统

单位：元 / 公里

规格mm ²	三芯加大地线		规格mm ²	三加二芯		规格mm ²	四芯加一芯	
	VV	VV22		VV	VV22		VV	VV22
			3*2.5+2*1.5	13118	15727	4*2.5+1*1.5	14190	16799
			3*4+2*2.5	19225	22680	4*4+1*2.5	20623	24532
			3*6+2*4	27835	31992	4*6+1*4	29480	33637
			3*10+2*6	42946	46524	4*10+1*6	47054	51320
3*16+1*10	55882	59693	3*16+2*10	65099	69191	4*16+1*10	71057	74908
3*25+1*16	85895	91394	3*25+2*16	101025	105057	4*25+1*16	109454	114305
3*35+1*16	113146	119820	3*35+2*16	127915	132577	4*35+1*16	145474	150626
3*50+1*25	154586	163615	3*50+2*25	176896	186557	4*50+1*25	196862	206866
3*70+1*35	221610	230197	3*70+2*35	255304	263877	4*70+1*35	285420	295612
3*95+1*50	308034	319207	3*95+2*50	354964	366485	4*95+1*50	395647	409653
3*120+1*70	387536	398408	3*120+2*70	452189	463470	4*120+1*70	492441	509223
3*150+1*70	466967	482426	3*150+2*70	530544	546258	4*150+1*70	598776	616345
3*185+1*95	585249	596939	3*185+2*95	672901	686577	4*185+1*95	750223	770556
3*240+1*120	762242	775044	3*240+2*120	864967	887043	4*240+1*120	974118	998731
3*300+1*150	945843	969094	3*300+2*150	1087736	1104912	4*300+1*150	1218657	1245001
3*400+1*185	1220741	1242460	3*400+2*185	1380870	1407066	4*400+1*185	1557981	1604334



1KV耐火电力电缆（铠装）

注：单芯钢带（钢丝）铠装电缆不适用于交流系统

单位：元 / 公里

截面	一芯		二芯		三芯		四芯		五芯		三加一芯		
	N-VV	N-VV62	N-VV	N-VV22	N-VV	N-VV22	N-VV	N-VV22	N-VV	N-VV22	规格	N-VV	N-VV22
1.5	2938	5886	6986	9775	9390	12378	12019	15120	14676	17984			
2.5	4043	7305	9680	12612	13299	16332	17141	20588	21011	24644	3*2.5+1*1.5	15780	19140
4	5996	9414	13575	16764	19104	22461	24919	28528	30411	34485	3*4+1*2.5	22941	26357
6	8203	12055	18618	22053	26667	30280	34667	38526	42649	46949	3*6+1*4	32208	36094
10	12396	19378	26724	31956	38076	43297	50689	56448	62315	68064	3*10+1*6	45636	51911
16	17808	24192	38485	43703	55332	60564	73861	79608	91021	97285	3*16+1*6	62724	69000
25	27911	34789	57036	62268	84480	89711	112992	118740	140352	146628	3*25+1*10	96588	102853
35	38293	46770	77520	83424	115164	122076	155436	163584	197340	205848	3*35+1*10	127272	135421
50	48596	57103	101152	108101	148711	156574	198469	205445	247877	256664	3*50+1*16	165798	174022
70	72020	81233	148898	156249	214428	227905	288803	297365	357685	365548	3*70+1*25	242338	253433
95	98420	109494	197288	206511	291388	302644	398305	410234	487382	497967	3*95+1*35	329667	342390
120	124674	141829	246814	258100	365165	378311	490698	501918	611438	624545	3*120+1*35	397096	411594
150	158467	175592	312311	323770	463505	478329	626208	640226	797808	811945	3*150+1*50	526347	542222
185	194964	214109	382668	392964	578682	590006	785840	801377	984932	999851	3*185+1*50	600738	618500
240	253915	278710	509085	522430	729116	741866	997816	1013381	1196129	1232702	3*240+1*70	789626	810372
300	304114	334843	608230	637796	898353	914470	1191340	1208329	1489390	1528493	3*300+1*95	990277	1013492
400	393294	424490	786589	808553	1157231	1173071	1547079	1564055	1916375	1958158	3*400+1*150	1305611	1320529
500	497033	540068	994067	1028702	1474555	1511254	1946787	1991007	2435878	2480306			
630	631435	677602	1262870	1290670	1839678	1893672	2449832	2511979	3060178	3108495			

坚持每一个环节都执行科学的控制管理方法，细致到每道工序、每个质控点。

Insist on scientific control management for all process, precise on each procedure and QC point.

报价表

Quotation sheet

1KV耐火电力电缆（铠装）

注：单芯钢带（钢丝）铠装电缆不适用于交流系统

单位：元 / 公里

规格mm ²	三芯加大地线		规格mm ²	三加二芯		规格mm ²	四芯加一芯	
	N-VV	N-VV22		N-VV	N-VV22		N-VV	N-VV22
			3*2.5+2*1.5	18389	21958	4*2.5+1*1.5	19730	23376
			3*4+2*2.5	27024	30966	4*4+1*2.5	29030	33069
			3*6+2*4	38116	41894	4*6+1*4	40197	44654
			3*10+2*6	51759	58034	4*10+1*6	57975	64262
3*16+1*10	65616	71880	3*16+2*10	76440	82703	4*16+1*10	84264	90528
3*25+1*16	100848	107124	3*25+2*16	117468	123743	4*25+1*16	129792	136068
3*35+1*16	131556	139285	3*35+2*16	151715	159612	4*35+1*16	172536	180360
3*50+1*25	176418	184755	3*50+2*25	203899	212485	4*50+1*25	228047	237033
3*70+1*35	253689	263531	3*70+2*35	292263	302078	4*70+1*35	326745	338957
3*95+1*50	347439	360028	3*95+2*50	400365	413359	4*95+1*50	450708	464468
3*120+1*70	439296	451625	3*120+2*70	512581	525373	4*120+1*70	563798	577751
3*150+1*70	542506	556987	3*150+2*70	616387	631238	4*150+1*70	702596	716707
3*185+1*95	673240	687245	3*185+2*95	770273	785942	4*185+1*95	866038	883647
3*240+1*120	854079	871042	3*240+2*120	975110	990951	4*240+1*120	1102068	1120138
3*300+1*150	1045333	1061452	3*300+2*150	1191142	1208434	4*300+1*150	1351073	1368194
3*400+1*185	1361369	1378754	3*400+2*185	1502173	1520733	4*400+1*185	1694840	1712382



8.7/15KV交联电力电缆

注：单芯钢带（钢丝）铠装电缆不适用于交流系统

单位：元 / 公里

型号	截面	35	50	70	95	120	150	185	240	300	400
YJV	一芯	50041	62388	84685	107736	132068	160904	194027	242049	300674	387712
YJV	三芯	156415	190416	249521	327796	400328	487706	589074	724475	888508	1131648
YJV62	一芯	58388	69546	93862	118010	144987	176794	211930	264928	321780	413300
YJV22	三芯	168503	205277	265701	342098	415773	503152	599538	750756	917201	1169778

8.7/15KV耐火交联电力电缆

单位：元 / 公里

型号	截面	50	70	95	120	150	185	240	300	400	500
WDZN-YJV	一芯	133994	159520	189031	216501	249101	286634	337481	397798	485308	596473
WDZN-YJV	三芯	330134	405970	492016	574207	669939	765170	935863	1116031	1377744	1710801
WDZN-YJV63	一芯	189663	218281	250632	280239	315065	375015	428609	492824	585753	703475
WDZN-YJV23	三芯	420305	501216	592954	679599	779784	876515	1056168	1254208	1526857	1871381

26/35KV交联电力电缆

单位：元 / 公里

型号	截面	50	70	95	120	150	185	240	300	400	500
YJV	一芯	85418	107471	132425	156505	185448	218531	261319	315588	394091	508190
YJV	三芯	265458	333672	409727	484058	572107	674751	804692	970705	1210460	1571605
YJV62	一芯	114481	138216	164139	190158	219896	254649	298466	353996	435168	551955
YJV22	三芯	301626	373029	451546	527371	617762	723916	854436	1022853	1267336	1635129

注：单芯35KV电缆每种规格数量不足3000米、三芯35KV电缆每种规格数量不足1000米时，如该规格电缆无半成品库存需开交联生产的，则该规格须加2万元开机费，如该规格电缆有半成品库存，则无需另加开机费。

Note: Regarding less than 3000 meters of solid core 35kv cable of each item and less than 1000 meters of 3 cores 35kv cable, if there is no semi-finished product in stock, need extra RMB20,000 production fee.

报价表

Quotation sheet

0.6/1KV YTTW(RTTZ)

金属护套无机矿物绝缘电缆

单位：元 / 公里

截面	一芯	二芯	三芯	四芯	五芯	三加一芯		三加二芯		四加一芯	
	价格	价格	价格	价格	价格	规格	价格	规格	价格	规格	价格
1.5	17900	28151	31882	36410	41140						
2.5	19919	32468	37551	43560	49783	3*2.5+1*1.5	41876	3*2.5+2*1.5	46543	4*2.5+1*1.5	48208
4	22757	44992	52477	61198	62471	3*4+1*2.5	51532	3*4+2*2.5	57656	4*4+1*2.5	60036
6	26268	53047	63149	66827	78190	3*6+1*4	63852	3*6+2*4	72184	4*6+1*4	75276
10	35922	67379	83741	102084	120998	3*10+1*6	87735	3*10+2*6	98697	4*10+1*6	105201
16	45210	87282	111201	148917	177041	3*16+1*10	139973	3*16+2*10	159572	4*16+1*10	168256
25	56602	122996	157507	195423	234334	3*25+1*16	182742	3*25+2*16	209450	4*25+1*16	222047
35	68213	147845	192757	241594	291551	3*35+1*16	217284	3*35+2*16	256987	4*35+1*16	281726
50	95954	183777	246783	312264	378292	3*50+1*25	286304	3*50+2*25	337203	4*50+1*25	366400
70	123370	220594	322523	413839	508516	3*70+1*35	377567	3*70+2*35	423741	4*70+1*35	475380
95	156683	287928	421986	544802	671804	3*95+1*50	491330	3*95+2*50	555923	4*95+1*50	625189
120	187385	348106	512559	664248	819094	3*120+1*70	607457	3*120+2*70	695194	4*120+1*70	764166
150	222479	429972	614184	798367	987287	3*150+1*70	710367	3*150+2*70	798706	4*150+1*70	905276
185	265985	518343	744425	970339	1199307	3*185+1*95	872442	3*185+2*95	991055	4*185+1*95	1109520
240	347291	655732	947564	1239024	1535596	3*240+1*120	1104919	3*240+2*120	1252854	4*240+1*120	1409462
300	425052	810396	1174324	1538456	1906245	3*300+1*150	1368627	3*300+2*150	1551900	4*300+1*150	1750061
400	524672	1002042	1458844	1915379	2378054	3*400+1*185	1696125	3*400+2*185	1920826	4*400+1*185	2171351

0.6/1KV WD-YTTWY(WD-RTTZY)

金属护套无机矿物绝缘无卤低烟聚烯烃外护套电缆

单位：元 / 公里

截面	一芯	二芯	三芯	四芯	五芯	三加一芯		三加二芯		四加一芯	
	价格	价格	价格	价格	价格	规格	价格	规格	价格	规格	价格
1.5	23576	35627	39689	44695	49947						
2.5	25825	40413	45896	52479	59314	3*2.5+1*1.5	50644	3*2.5+2*1.5	55789	4*2.5+1*1.5	57601
4	28949	53804	61794	71226	72933	3*4+1*2.5	61072	3*4+2*2.5	67755	4*4+1*2.5	70314
6	32806	62577	73306	77514	89776	3*6+1*4	74327	3*6+2*4	83327	4*6+1*4	86654
10	43538	78842	96142	116189	136929	3*10+1*6	100052	3*10+2*6	111788	4*10+1*6	119080
16	53549	100229	125960	166335	196874	3*16+1*10	156664	3*16+2*10	178032	4*16+1*10	187393
25	65612	138949	175524	216313	258360	3*25+1*16	202609	3*25+2*16	231520	4*25+1*16	245131
35	77834	165434	212833	265061	318704	3*35+1*16	239064	3*35+2*16	281424	4*35+1*16	307849
50	107286	203151	269636	339369	410582	3*50+1*25	312236	3*50+2*25	366028	4*50+1*25	397220
70	136261	239443	346962	443629	545041	3*70+1*35	406235	3*70+2*35	455093	4*70+1*35	509537
95	171274	310885	451951	581704	717675	3*95+1*50	526578	3*95+2*50	595110	4*95+1*50	668081
120	204051	374389	547457	707554	872637	3*120+1*70	649006	3*120+2*70	741349	4*120+1*70	814249
150	241336	460551	654452	848700	1050069	3*150+1*70	757978	3*150+2*70	851159	4*150+1*70	963124
185	287339	553945	791882	1030067	1273559	3*185+1*95	929144	3*185+2*95	1053830	4*185+1*95	1178498
240	372962	698516	1005185	1312046	1627308	3*240+1*120	1173794	3*240+2*120	1329375	4*240+1*120	1493928
300	455347	861798	1243949	1627064	2017414	3*300+1*150	1451982	3*300+2*150	1644787	4*300+1*150	1852851
400	560800	1063148	1542531	2022492	2513352	3*400+1*185	1796457	3*400+2*185	2032503	4*400+1*185	2295301



我们严格执行国家质量标准要求，通过大功率耐压试验机、拉力试验机、电火花试验机、投影仪、电桥测试仪等国家先进的检测设备，对每一个成品进行严密监测，进一步保证产品质量合格率。

Strictly follow the national quality standard request, to supervise all products and procedures through high voltage test, tensile strength test, spark test, projector and electric bridge test to meet the quality passed rate.

报价表

Quotation sheet

BBTRZ--额定电压0.6/1KV
矿物绝缘柔性耐火电缆

单位：元 / 公里

截面	一芯	二芯	三芯	四芯	五芯	三加一芯		三加二芯		四加一芯	
	价格	价格	价格	价格	价格	规格	价格	规格	价格	规格	价格
1.5	36632	53154	58007	64214	70800						
2.5	39223	58694	65048	72979	81357	3*2.5+1*1.5	70768	3*2.5+2*1.5	77212	4*2.5+1*1.5	79244
4	42737	66193	74820	85287	96268	3*4+1*2.5	82293	3*4+2*2.5	90495	4*4+1*2.5	93287
6	46923	75193	86658	100218	114394	3*6+1*4	96469	3*6+2*4	107179	4*6+1*4	110761
10	56227	95460	112806	133072	154169	3*10+1*6	124941	3*10+2*6	138894	4*10+1*6	146146
16	66908	118397	143680	172490	202438	3*16+1*10	162464	3*16+2*10	182976	4*16+1*10	192754
25	80938	150420	187044	228374	271199	3*25+1*16	211990	3*25+2*16	239633	4*25+1*16	255288
35	93666	177125	224827	277709	332266	3*35+1*16	248932	3*35+2*16	275743	4*35+1*16	303929
50	113382	219916	283237	353739	426514	3*50+1*25	321649	3*50+2*25	364075	4*50+1*25	394811
70	143120	289968	378705	475907	576107	3*70+1*35	426577	3*70+2*35	480035	4*70+1*35	528362
95	178908	366371	485906	615597	749996	3*95+1*50	551243	3*95+2*50	621182	4*95+1*50	685497
120	214822	445622	595605	759556	926951	3*120+1*70	688051	3*120+2*70	785648	4*120+1*70	856985
150	254100	531739	715497	913834	1118799	3*150+1*70	802796	3*150+2*70	899325	4*150+1*70	1008715
185	305713	643477	872247	1119572	1373569	3*185+1*95	991995	3*185+2*95	1121607	4*185+1*95	1247097
240	379518	804893	1100106	1417594	1743275	3*240+1*120	1250796	3*240+2*120	1413668	4*240+1*120	1577873
300	460949	980421	1350051	1744784	2149348	3*300+1*150	1533742	3*300+2*150	1733252	4*300+1*150	1940942
400	572899	1228447	1696242	2198641	2712155	3*400+1*185	1924022	3*400+2*185	2169704	4*400+1*185	2441003



预制分支电缆

预制组装分支电缆的价格由三部分组成：
第一部分为分支连接体（分支头）价格；
第二部分为电缆段的价格，包括主干电缆段和分支电缆端的价格；
第三部分为电缆托挂器（含吊、托架和固定夹）的价格。

(一) 0.6/1KV
预制分支电缆连接体（分支头）的价格

单位：元 / 个

截面	主电缆—分支电缆规格 (mm ²)	一芯	二芯	三芯	四芯	五芯
1	500-50~95	1069	2138	3207	4276	5345
2	500-10~35	965	1930	2895	3860	4825
3	400-50~95	887	1773	2660	3546	4433
4	400-10~35	770	1540	2310	3080	3851
5	300-50~95	588	1175	1763	2351	2938
6	300-10~35	509	1019	1528	2037	2546
7	240-50~95	443	887	1330	1773	2216
8	240-10~35	431	862	1293	1724	2155
9	185-35~70	392	784	1175	1567	1959
10	185-10~25	365	730	1095	1460	1825
11	150-35~70	339	678	1018	1357	1696
12	150-10~25	327	654	980	1307	1634
13	120-35~70	301	602	903	1204	1505
14	120-10~25	274	548	823	1097	1371
15	95-35~50	274	548	823	1097	1371
16	95-10~25	261	522	782	1043	1304
17	70-35~50	248	497	745	994	1242
18	70-10~25	223	445	668	891	1113
19	5-10~25	208	416	625	833	113
20	35-10~16	208	416	625	833	1041
21	25-10~16	196	392	588	784	979

注：主干电缆和分支电缆的型号包括：
额定电压为0.6/1KV的普通型电缆YJV或VV阻燃型电缆ZC-YJV或ZC-VV和耐火型电缆N-YJV或N-VV，六种型号电缆的分支连体单价相同。

(二) 单芯电缆价格

YJV、VV、ZC-YJV、ZC-VV、N-YJV、N-VV电缆单价按本公司的相应规格的单价执行。

报价表

Quotation sheet

(三) 预制分支主干电缆吊头及预制分支电缆托挂器价格

1、主干电缆吊头(含金属网套)

单位:元/个

序号	适用范围	规格	一芯	二芯	三芯	四芯	五芯
1	小号	25~70mm ²	393	786	1179	1572	1965
2	中号	95~150mm ²	469	938	1407	1876	2345
3	大号	185~300mm ²	595	1190	1785	2380	2975
4	特大号	400~500mm ²	671	1342	2013	2684	3355

2、YFD-F系列预制分支电缆托架价格

单位:元/组

序号	产品规格	型号	适应主电缆范围(mm ²)	单位	一芯	二芯	三芯	四芯	五芯
1	单回路 电缆托架	YFD-F-TG-11	10~35	组	418	835	1253	1670	2088
2		YFD-F-TG-12	50~150	组	496	992	1488	1984	2479
3		YFD-F-TG-13	185~400	组	547	1095	1642	2190	2737
4		YFD-F-TG-14	500~630	组	626	1252	1877	2503	3129
5	双回路 电缆托架	YFD-F-TG-21	10~35	组	965	1930	2895	3860	4825
6		YFD-F-TG-22	50~150	组	1278	2557	3835	5113	6392
7		YFD-F-TG-23	185~400	组	1461	2922	4382	5843	7304
8		YFD-F-TG-24	500~630	组	1839	3678	5518	7357	9196

3、YFD-F系列预制分支电缆固定夹价格


单位:元/组

序号	产品规格	型号	适应主电缆范围(mm ²)	单位	一芯	二芯	三芯	四芯	五芯
1	单回路 防涡流电缆 固定夹	YFD-F-GD-11	10~35	组	144	289	433	577	722
2		YFD-F-GD-12	50~150	组	170	340	510	680	851
3		YFD-F-GD-13	185~400	组	196	392	588	784	979
4		YFD-F-GD-14	500~630	组	223	445	668	891	1113
5	双回路 防涡流电缆 固定夹	YFD-F-GD-15	800~1200	组	274	548	823	1097	1371
6		YFD-F-GD-21	10~35	组	170	340	510	680	851
7		YFD-F-GD-22	50~150	组	248	497	745	994	1242
8		YFD-F-GD-23	185~400	组	287	573	860	1146	1433
9		YFD-F-GD-24	500~630	组	327	654	980	1307	1634



主要资质

Main qualifications





部分工程展示

Partial project demonstration

- | | |
|----------|-------------------------------------|
| 港珠澳大桥 | Hong kong-zhuhai-macao bridge |
| 广州白云机场 | Guangzhou baiyun airport |
| 广州会展中心 | Guangzhou convention center |
| 北京新机场 | Beijing new airport |
| 京沪高铁 | Beijing-shanghai high-speed railway |
| 广州地铁 | Guangzhou metro |
| 广州南站 | Guangzhou south railway station |
| 深圳地铁 | Shenzhen metro |
| 广州大学城 | Guangzhou university town |
| 北京电视台 | Beijing TV station |
| 中国移动创新大厦 | China mobile innovation building |
| 广东电信大厦 | Guangdong telecom building |
| 深圳百度大厦 | Shenzhen baidu tower |
| 中国联通总部大厦 | China unicom headquarters building |

Simpact

更安全的家、更安心的城、更有爱的守护

